

WHAT IS CLAIMED IS:

1. A flashlight configured for potential use in conjunction with other activities performed by a hand  
5 grasping the flashlight, the flashlight comprising:

a downwardly-extending handle portion;

a transverse member connected to said handle  
portion; and

a downwardly-extending lightbox.

10

2. The flashlight of claim 1, wherein said  
lightbox is moveable relative to said handle portion.

3. The flashlight of claim 2, wherein said lightbox is  
15 swivelable relative to said transverse member.

4. The flashlight of claim 2, wherein said handle  
portion is rotateable in a vertical plane relative to  
said transverse member.

20

5. The flashlight of claim 4, wherein said lightbox is  
rotatable in a horizontal plane relative to said  
transverse member.

6. A flashlight configured for potential use with a firearm, comprising;

a handle member adapted to be held in a person's hand while assuming a two-handed firearm shooting  
5 position;

a lightbox connected to said handle portion, said lightbox positionable relative to said handle to adjust both vertical and horizontal direction of a light beam emanating from said lightbox.

10

7. The flashlight of claim 6, wherein said lightbox is positionable relative to said handle at two discreet locations on said flashlight.

15 8. The flashlight of claim 7, wherein a first of said discreet locations is provided at a connection between said lightbox and a transverse member connected to said handle portion.

20 9. The flashlight of claim 8, wherein a second of said locations is positioned at a connection between said handle member and said transverse member.

10. A flashlight for potential use in conjunction with other activities performed by a hand grasping the flashlight, the flashlight comprising:

a handle portion connected to a lightbox by a  
5 transverse member; and

a switch positioned for depression with a thumb of a user grasping the flashlight by the handle portion.

11. The flashlight of claim 10, wherein said switch  
10 is provided on the transverse member.

12. A flashlight assembly, comprising:

a flashlight having a downwardly extending lightbox,  
a downwardly extending handle portion, and a transverse  
15 member connecting said handle portion and said lightbox;  
and

a holster for said flashlight, said holster including a member for attachment to a belt of a user, and a receiving portion for receiving said lightbox of  
20 said flashlight while positioning said handle portion external of said receiving portion for access by a user.

13. A flashlight, comprising:

a downwardly-extending handle portion;

a transverse member connected to said handle portion; and

a downwardly-extending lightbox connected to said  
5 transverse member; and

wherein at least one of said lightbox and said handle portion is movable relative to said transverse member.

10 14. The flashlight of claim 13, wherein both said lightbox and said handle portion are movable relative to said transverse member.

15 15. The flashlight of claim 13, wherein said lightbox is rotatable to indexed positions in a generally horizontal plane relative to said transverse member.

16. The flashlight of claim 13, wherein said handle is rotatable to fixed positions in a generally vertical  
20 plane relative to said transverse portion.

17. The flashlight of claim 1, also including a red lens attached to the flashlight.

18. The flashlight of claim 17, wherein the red lens is removably connected to the flashlight.

19. The flashlight of claim 6, also including a red  
5 lens attached to the flashlight.

20. The flashlight of claim 19, wherein the red lens is removably attached to the flashlight.